

	Type	Hits	Search Text	DBs	Time Stamp
1	BRS	1	"20020009082"	US-PGPUB; USPAT; EPO; JPO	2004/08/21 20:59
2	BRS	16	"370"/\$.ccls. and @ad<"20000718" and ((buffer queue cach\$2 stor\$4) with switch\$3) and (vari\$4 with packet) and (header with (extract\$4 remov\$3 strip\$4)) and ((multicast\$4 (multi near cast\$4)) with packet) and (plurality with (destination (end near (node device unit terminal)))) and stor\$3 and forward\$3	US-PGPUB; USPAT; EPO; JPO	2004/08/18 19:03
3	BRS	330	370/390.ccls. and @ad<"20000718"	US-PGPUB; USPAT; EPO; JPO	2004/08/19 17:33
4	BRS	100	(370/390.ccls. and @ad<"20000718") and ((buffer\$3 stor\$5) near (unit device module circuit means storage))	US-PGPUB; USPAT; EPO; JPO	2004/08/19 18:44
5	BRS	2	((370/390.ccls. and @ad<"20000718") and ((buffer\$3 stor\$5) near (unit device module circuit means storage))) and multicast\$3 and unicast\$3 and ((variable-length (variable near length)) near packet)	US-PGPUB; USPAT; EPO; JPO	2004/08/19 18:42
6	BRS	109	(370/390.ccls. and @ad<"20000718") and ((buffer\$3 stor\$5) near (unit device module circuit means storage apparatus system))	US-PGPUB; USPAT; EPO; JPO	2004/08/18 16:56
7	BRS	6	((370/390.ccls. and @ad<"20000718") and ((buffer\$3 stor\$5) near (unit device module circuit means storage apparatus system))) and multicast\$3 and ((variable-length (variable near length)) with packet)	US-PGPUB; USPAT; EPO; JPO	2004/08/21 18:58
8	BRS	232	(370/390.ccls. and @ad<"20000718") and ((buffer\$3 stor\$5 queue) with (unit device module circuit means storage apparatus system))	US-PGPUB; USPAT; EPO; JPO	2004/08/18 16:56
9	BRS	14	((370/390.ccls. and @ad<"20000718") and ((buffer\$3 stor\$5 queue) with (unit device module circuit means storage apparatus system))) and multicast\$3 and ((variable-length (variable near length)) with packet)	US-PGPUB; USPAT; EPO; JPO	2004/08/18 16:56
10	BRS	39	370/390.ccls. and @ad<"20000718" and ((fixed-length (fixed near length)) near4 packet)	US-PGPUB; USPAT; EPO; JPO	2004/08/18 18:00

	Type	Hits	Search Text	DBs	Time Stamp
11	BRS	75	@ad<"20000718" and ((fixed-length (fixed near length)) with packet with ((stor\$3 buffer\$3 memory queue\$3) near4 (device unit means apparatus mudule circuit)))	US-PGPUB; USPAT; EPO; JPO	2004/08/18 18:12
12	BRS	12	((@ad<"20000718" and ((fixed-length (fixed near length)) with packet with ((stor\$3 buffer\$3 memory queue\$3) near4 (device unit means apparatus mudule circuit)))) and (((multicast\$3 multi-cast\$3 (multi near cast)) with (process\$3 control\$4)))	US-PGPUB; USPAT; EPO; JPO	2004/08/18 18:11
13	BRS	40765	@ad<"20000718" and (((((fixed-length (fixed near length)) with packet) cell) with ((stor\$3 buffer\$3 memory queue\$3) near4 (device unit means apparatus mudule circuit))))	US-PGPUB; USPAT; EPO; JPO	2004/08/18 18:13
14	BRS	26637	@ad<"20000718" and (((((fixed-length (fixed near length)) near packet) cell) near ((stor\$3 buffer\$3 memory queue\$3) near4 (device unit means apparatus module circuit))))	US-PGPUB; USPAT; EPO; JPO	2004/08/18 18:16
15	BRS	26637	@ad<"20000718" and (((((fixed-length (fixed near length)) near packet) cell) near (((stor\$3 buffer\$3 memory queue\$3) near4 (device unit means apparatus module circuit))))	US-PGPUB; USPAT; EPO; JPO	2004/08/18 18:16
16	BRS	35522	@ad<"20000718" and (((fixed-length (fixed adj length) near packet) cell) near (unit device means apparatus means circuit module))	US-PGPUB; USPAT; EPO; JPO	2004/08/18 18:23
17	BRS	9460	@ad<"20000718" and (((fixed-length (fixed adj length) near packet) cell) near ((stor\$3 buffer\$3 queue\$3 memory) near (unit device means apparatus means circuit module storage))))	US-PGPUB; USPAT; EPO; JPO	2004/08/19 18:44
18	BRS	16	((@ad<"20000718" and (((fixed-length (fixed adj length) near packet) cell) near ((stor\$3 buffer\$3 queue\$3 memory) near (unit device means apparatus means circuit module storage)))) and (((multicast\$3 multi-cast\$3 (multi adj1 cast\$3)) near (process\$3 control\$4)))	US-PGPUB; USPAT; EPO; JPO	2005/03/09 18:49

	Type	Hits	Search Text	DBs	Time Stamp
19	BRS	9	@ad<"20000718" and (((fixed-length (fixed adj length) near packet) cell) near ((stor\$3 buffer\$3 queue\$3 memory) near (unit device means apparatus means circuit module storage))) and ((variable-length (variable adj length)) near (packet frame)) and (multicast\$3 multi-cast\$3 (multi adj1 cast\$3))	US-PGPUB; USPAT; EPO; JPO	2004/08/18 18:35
20	BRS	179318	@ad<"20000718" and (input near (buffer storage device unit apparatu module switch))	US-PGPUB; USPAT; EPO; JPO	2004/08/18 19:05
21	BRS	383	((@ad<"20000718" and (input near (buffer storage device unit apparatu module switch))) and ((variable-length (variable adj length) variable) near packet)	US-PGPUB; USPAT; EPO; JPO	2004/08/18 19:07
22	BRS	256	((@ad<"20000718" and (input near (buffer storage device unit apparatu module switch))) and ((variable-length (variable adj length) variable) near packet)) and (((fixed-length (fixed adj length) fixed) near packet) cell)	US-PGPUB; USPAT; EPO; JPO	2004/08/18 19:20
23	BRS	132	((@ad<"20000718" and (input near (buffer storage device unit apparatu module switch))) and ((variable-length (variable adj length) variable) near packet)) and (((fixed-length (fixed adj length) fixed) near packet))	US-PGPUB; USPAT; EPO; JPO	2004/08/18 19:18
24	BRS	42	((@ad<"20000718" and (input near (buffer storage device unit apparatu module switch))) and ((variable-length (variable adj length) variable) near packet)) and (((fixed-length (fixed adj length) fixed) near packet))) and (multicast\$3 multi-cast\$3 (multi adj1 cast\$3))	US-PGPUB; USPAT; EPO; JPO	2004/08/18 19:30
25	IS&R	1	("6259699").PN.	US-PGPUB; USPAT; USOCR; EPO; JPO	2004/08/19 10:50

	Type	Hits	Search Text	DBs	Time Stamp
26	BRS	72	(((@ad<"20000718" and (input near (buffer storage device unit apparatus module switch))) and ((variable-length (variable adj length) variable) near packet)) and (((fixed-length (fixed adj length) fixed) near packet) cell)) and (multicast\$3 multi-cast\$3 (multi adj1 cast\$3))	US-PGPUB; USPAT; EPO; JPO	2004/08/19 14:33
27	IS&R	1	("5905725").PN.	US-PGPUB; USPAT; USOCR; EPO; JPO	2004/08/19 15:47
28	IS&R	1	("5898687").PN.	US-PGPUB; USPAT; USOCR; EPO; JPO	2004/08/19 15:48
29	IS&R	1	("6167049").PN.	US-PGPUB; USPAT; USOCR; EPO; JPO	2004/08/19 15:49
30	BRS	281	@ad<"20000718" and (frame with conver\$4 with atm with cell)	US-PGPUB; USPAT; EPO; JPO	2004/08/19 18:54
31	BRS	9	((@ad<"20000718" and (frame with conver\$4 with atm with cell)) and (multicast\$3 and unicast\$3))	US-PGPUB; USPAT; EPO; JPO	2004/08/19 18:26
32	BRS	42	((@ad<"20000718" and (frame with conver\$4 with atm with cell)) and (multicast\$3 multi-cast\$3 (multi adj1 cast\$3))	US-PGPUB; USPAT; EPO; JPO	2004/08/19 18:35
33	BRS	5	@ad<"20000718" and (((fixed-length (fixed adj length) near packet) cell) near ((stor\$3 buffer\$3 queue\$3 memory) near (unit device means apparatus means circuit module storage)))) and (original near (frame packet))	US-PGPUB; USPAT; EPO; JPO	2004/08/19 18:54
34	BRS	4	@ad<"20000718" and (frame with conver\$4 with atm) and (unicast\$3 uni-cast\$3 (uni adj cast\$3)) and (multicast\$3 multi-cast\$3 (multi adj cast\$3)) and (original near4 (frame packet))	US-PGPUB; USPAT; EPO; JPO	2004/08/19 18:59
35	BRS	27	@ad<"20000718" and (frame with atm) and (unicast\$3 uni-cast\$3 (uni adj cast\$3)) and (multicast\$3 multi-cast\$3 (multi adj cast\$3)) and (original near4 (frame packet))	US-PGPUB; USPAT; EPO; JPO	2004/08/19 19:11
36	BRS	40	@ad<"20000718" and (frame with atm) and ((atm cell) near conver\$4 near frame)	US-PGPUB; USPAT; EPO; JPO	2004/08/21 19:14

	Type	Hits	Search Text	DBs	Time Stamp
37	BRS	15	((@ad<"20000718" and (frame with atm) and ((atm cell) near conver\$4 near frame)) and (multicast\$3 multi-cast\$3 (multi adj cast\$3))	US-PGPUB; USPAT; EPO; JPO	2004/08/21 19:13
38	BRS	5	((370/390.ccls. and @ad<"20000718") and ((buffer\$3 stor\$5) near (unit device module circuit means storage apparatus system))) and multicast\$3 and ((variable-length (variable near length)) with packet) and contention	US-PGPUB; USPAT; EPO; JPO	2004/08/21 18:59
39	BRS	1	@ad<"20000718" and (frame with atm) and ((atm cell) near conver\$4 near frame) and contention	US-PGPUB; USPAT; EPO; JPO	2004/08/21 19:15
40	BRS	1	((@ad<"20000718" and (frame with atm) and ((atm cell) near conver\$4 near frame)) and (multicast\$3 multi-cast\$3 (multi adj cast\$3)) and contention	US-PGPUB; USPAT; EPO; JPO	2004/08/21 19:16
41	IS&R	1	("6144662").PN.	US-PGPUB; USPAT; USOCR; EPO; JPO	2004/08/21 21:29
42	BRS	134724 4	(buffer\$3 stor\$3 queue\$3 memory) with (unit device module part)	US-PGPUB; USPAT; EPO; JPO	2005/03/09 18:42
43	BRS	588427	(buffer\$3 stor\$3 queue\$3 memory) near (unit device module part)	US-PGPUB; USPAT; EPO; JPO	2005/03/09 18:42
44	BRS	1679	S43 and ((fixed adj (length size)) with packet)	US-PGPUB; USPAT; EPO; JPO	2005/03/09 18:45
45	BRS	358	S44 and (multicast\$3 (multi adj cast\$3))	US-PGPUB; USPAT; EPO; JPO	2005/03/09 18:45
46	BRS	157	S45 and ((variable adj (length size)) with packet)	US-PGPUB; USPAT; EPO; JPO	2005/03/09 18:46
47	BRS	152	S46 and (controller manager (control\$4 with (device unit part module circuit)))	US-PGPUB; USPAT; EPO; JPO	2005/03/09 18:48
48	BRS	104	S47 and (@ad<"20000718" @rlad<"20000718" @rlan<"20000718")	US-PGPUB; USPAT; EPO; JPO	2005/03/09 18:54
49	BRS	1	"20020009082"	US-PGPUB; USPAT; EPO; JPO	2005/03/09 18:58

50	BRS	92	S48. and "370"/\$.ccls.	US-PGPUB; USPAT; EPO; JPO	2005/03/09 18:59
----	-----	----	-------------------------	------------------------------	------------------